

SOV/136-59-3-17/21

On the Use of Radiography in Work on the Theory of Flotation

discounts Mitrofanov's assumption of the existence of the collector in the electrical double layer and gives some other factors which he has found to be contrary to Mitrofanov's views.

S.V. Bessonov of the Irkutskiy gorno-metallurgicheskiy institut (Irkutsk Mining-metallurgical Institute) welcomes contributions on methods applicable to flotation-kinetics research but maintains that Mitrofanov's criticisms of radiographic methods are experimentally unsupported. He mentions work at the Institut gornogo dela AN SSSR (Mining Institute of the Ac.Sc.USSR) which clearly contradicts that author's contention that the results of drying-films experiments represent the distribution of reagent over glass as much as over mineral particles. Bessonov particularly deplores unfounded criticism by Mitrofanov of a technique which has contributed to the progress and international reputation of Soviet science but emphasises that he favours constructive criticism.

V.I. Klassen classifies Mitrofanov's experiments as artificially contrived to support incorrect ideas. The basis of these ideas is that when a mineral particle is

Card2/5

SOV/136-59-3-17/21
On the Use of Radiography in Work on the Theory of Flotation

removed from the pulp it takes with it an envelope of reagent-containing water; when the water evaporates the envelope splits into islands which lead to localised fixing of the tracer-containing reagent. In correctly conducted radiographic experiments the possibility of this happening is carefully avoided, e.g. by repeated washing of the particle. He also points out that if Mitrofanov's views were correct, the amount of collector on particles remaining in the tailings would be much more than on those in the concentrate: the opposite is found experimentally. Mitrofanov's attitude is inconsistent since he accepts radiometry of powders, to which his own objections should apply. The author urges further studies in this field. A.K. Livshits does not deal specifically with Mitrofanov's article but himself criticises some work in which radiographic methods were used. The author admits that any of the microradiograms published give a direct picture of the reagent-distribution in particle surfaces. A general criticism is that the purity of the reagent is never stated: but the presence of impurities could alter the radiographic

Card 3/5

SOV/136-59-3-17/21

On the Use of Radiography in Work on the Theory of Flotation

pattern and the presence of radioactive sulphur is likely to lead to their production. It may well be impossible to wash the impurities off the mineral surface. The author complains of the lack of quantitative data and the frequent discrepancies of results, e.g. between those of V.I. Klassen and of I.N. Plaksin and R.Sh.Shafeyev, published in *Tsvetnyye Metally*, Nr 7 for 1957 and 1958, respectively. He notes that the first attempts at quantitative radiography confirmed the validity of doubts on the usefulness of results based on visual examination of radiographic patterns. The author regards much of the pattern obtained by Plaksin and Shafeyev as being due to liquid droplets. He deals with some other published data and concludes, making specific recommendation, that much remains to be done to establish the radiographic method for flotation-kinetic studies. In the editorial introduction the following are invited to contribute to the discussion: M.A. Eyeles, V.A. Mokrousov, O.S. Bogdanov, G.S. Strel'styn, V.Ya. Khaynman and S.I. Krokhin (workers in flotation-theory research) and N.V. Matveyenko, M.I. Gorodetskiy,

Card4/5

SOV/136-59-3-17/21

On the Use of Radiography in Work on the Theory of Flotation
M.M. Polyakov and S.N. Kulinin (works' personnel).

ASSOCIATION : Irkutskiy gorno-metallurgicheskiy institut
(Irkutsk Mining-metallurgical Institute)
(Bessonov, S. V.)

Card 5/5

AUTHOR: Klassen, V.I., Professor SOV/136-59-3-19/21
TITLE: Reviews and Bibliography (Retsenzi i bibliografiya)
PERIODICAL: Tsvetnyye Metally, 1959, ^{3rd} Nr 3, pp 81 - 85 (USSR)
ABSTRACT: The following book is reviewed: K.L. Sutherland
and I.V. York "Principles of Flotation". Translation
from English. Editor - A.K. Livshits. Metallurgizdat,
1958. There is 1 table.

Card 1/1

VLASOVA, Nina Sergeyevna; KLASSEN, Villi Ivanovich; PLAKSIN, Igor' Nikolayevich; KHODAKOV, I.K., red. Izd-va BERESLAVSKAYA, L.Sh., tekhn. red.

[Principles of selecting reagents for flotation of difficult-to-dress coal fines] O printsipakh podbora reagentov dlia flotatsionnogo obogashcheniya melochi trudnoobogatimykh uglei. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po gornomu delu, 1960. 33 p. (MIRA 14:7)
(Flotation) (Coal)

PLAKSIN, I.N., red.; KLASSEN, V.I., prof., doktor tekhn.nauk, red.; PODKOSOV, L.O., kand.tekhn.nauk, otd.red.; TSUKERMAN, S.Ya., red.izd-va; KONDRA'TYeva, M., tekhn.red.

[Theory of gravity methods of mineral ore dressing; transactions]
Voprosy teorii gravitatsionnykh metodov obogashcheniya polemykh
iskopayemykh; trudy. Pod red. I.N.Plaksina i V.I.Klassena. Moskva,
Gos. nauchno-tekhn. izd-vo lit-ry po gornomu delu, 1960. 258 p.

1. Vsesoyuznoye soveshchaniye po voprosam teorii gravitatsionnykh
metodov obogashcheniya polemykh iskopayemykh. 1958. 2. Chlen-
korrespondent AN SSSR (for Plaksin). 3. Institut gornogo dela
AN SSSR (for Plaksin, Klassen). 4. Vsesoyuznyy institut mineral'nogo
syr'ya (for Podkovov).

(Ore dressing)

KLASSOV, V. I.

"Trends in the Radical Improvement of Machinery for the Beneficiation of Coal."

report presented at the Conference on Beneficiation of Useful Minerals, sponsored by the Learned Council of the IGD, AS USSR, Palakhash/Karavands, 29 Nov - 4 Dec 1960.

KLASSEN, V. I.

"On the Trend Towards a Radical Improvement in the Design of Flotation Machinery"

report presented at the Conference on Beneficiation of Useful Minerals, sponsored by the Leninized Council of the IGT, AS USSR, Balkhash/Karaganda, 29 Nov - 4 Dec 1960.

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

KLASSEN, V. I.

"Theoretical Basis of Flotation by Gas Precipitation."

report to be presented at the Intl. Mineral Processing Congress, London, England, 6-9 Apr 60.
Head of Laboratory of Mineral Dressing, Institute of Mining, USSR Academy of Sciences.

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

KLASSEN, V.I.; MESHCHERYAKOV, N.Y.

Flotation in the comminution cycle. Izv. AN Kazakh.SSR. Ser. mat.
obog. i ogneup. no.3:3-8 '60. (MIRA 14:4)
(Flotation)

KLASSEN, V.I., prof., doktor tekhn.nauk; LITOVKO, V.I., kand.tekhn.nauk

Some problems in sizing mineral grains in a hydrocyclone in a water
medium. Trudy Inst.gor.dela 6:38-45 '60. (MIRA 14:4)

(Ore dressing) (Separators (Machines))

VLASOVA, N.S.; KLASSEN, V.I.; PLAKSIN, I.N.

Possibility of using emulsifying agents in the flotation of coal
slimes. Koks i khim. no.4:10-12 '60. (MIRA 13:7)

1. Institut gornogo dela 'AM SSSR.
(Coal preparation).
(Flotation)
(Emulsifying agents)

BEDRAN', N.G.; ZHENDRINSKIY, A.P.; KLASSEN, V.I.

Design characteristics and results of testing the new KVM-DGI flotation machine. Ugol' Ukr. 4 no.10:18-21 O '60. (MIRA 13:10)

1. Dnepropetrovskiy gornyy institut (for Bedran', Zhendrinskiy).
2. Institut gornogo dela AN SSSR (for Klassen).
(Coal preparation—Equipment and supplies)
(Flotation—Equipment and supplies)

KLASSEN, V.I., prof., doktor tekhn.nauk; LITOVKO, V.I., kand.tekhn.nauk;

Some problems in separating mineral grains in a hydrocyclone
in a water medium. Nauch.socob.Inst.gor.dela 6:38-45 '60. (MIRA 15:1)
(Ore dressing)
(Separators (Machines))

VLASOVA, N.S., kand.tekhn.nauk; KLASSEN, V.I., doktor tekhn.nauk;
Prinimala uchastiye: STEPANOVA, Ye.N., mladshiy nauchnyy sotrudnik

Flotation qualities of aldehydes. Nauch.sooob.Inst.gor.dela 6:
67-76 '60. (MIRA 15:1)

(Aldehydes) (Flotation)

SOLNYSHKIN, V.I., kand.khimicheskikh nauk; PLAKSIN, I.N.;
KLASSEN, V.I., doktor tekhn.nauk

Heat of wetting of coal by aqueous solutions of flotation
reagents. Nauch.soob.Inst.gor.dela 6:117-128 '60. (MIRA 15:1)

1. Chlen-korrespondent AN SSSR (for Plaksin).
(Coal preparation)

KLASSEN, V.I. (Moskva), KIVSKAYA, V.A. (Moskva)

Action of frother-collection reagents during coal flotation in presence of finely divided slimes. Izv. Akad. SSSR. Otd. tekhn. nauk. Met. i topl. no.6:168-172 L-D '60. (MIRA 13:12)

(Flotation—Equipment and supplies)
(Coal preparation)

KLASSEN, V.I., doktor tekhn.nauk; MAO TSZI-FAN' [Mao Chi-fan], insh.

Studying the interaction of reagents with hematite by means
of radioactive isotopes. Izv. vys. ucheb. zav.; gor. zhur.
no.9:137-140 '60. (MIRA 13:9)

1. Moskovskiy gornyy institut im. I.V.Stalina. Rekomend.
kafedroy obogashcheniya poleznykh iskopayemykh.
(Flotation--Equipment and supplies)
(Radioisotopes—Industrial applications)

KLASSEN, V.I., doktor tekhn.nauk; TIKHONOV, S.A., kand.tekhn.nauk.

Effect of sodium oleate on the flotation properties of air bubble
surfaces. Tsvet. met. 33 no.10:4-8 0 '60. (MIRA 13:10)

1. Institut gornogo dela AN SSSR.
(Flotation--Equipment and supplies)

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

VLASOVA, N.S.; KLASSEN, V.I.; PLAKSIN, I.N.

Use of aliphatic alcohols in coal flotation. Ugol' 35 no. 4:45-48
Ap '60. (MIRA 14:4)

(Flotation—Equipment and supplies)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

GLERBOTSKIY, Vladimir Aleksandrovich; prof. dokt.tekhn.nauk; KLASSEN,
Villi Ivanovich, prof.dokt.tekhn.nauk; PLAKSIN, Igor' Niko-
layevich; POL'KIN,S.I., otv.red.; RIKOV,W.A., red.izd-va;
KACHALKINA,Z.I., red.izd-vo; SAL'TSOVSKIY,M.S., red.izd-va;
PROZOROVSKAYA,V.L., tekhn.red. BOLDIREVA,Z.A., tekhn.red.

[Plotatsion] Plotatsiia. Pod obshchei red. I.N.Plaksina.
Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po gornomu delu,
1961. 547 p.

(MIRA 14:5)

1. Chlen-korrespondent AN SSSR (for Plaksin)
(Plotatsion)

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

KLASSEN, V.I. AND TIKHONOV, S. A.

"On the Influence of Bubble Age in the Flotation of Non-Metallic Minerals with Sodium Oleate"

Report presented at the Colloque on Preparation of Anorganic Non-Metallic Minerals, Freiberg, GDR, 20-30 Aug 61

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

KLASSEN, V. I., PLAKSIN, Igor' N.

"Froth flotation processes."

To be submitted for the Gordon Research Conferences, Chemistry of Coal, New Hampton, N.H.
13-16 June 1961.

Head of Laboratory of Mineral Dressing in the Institute of Mining of Academy of Sciences
USSR.

DEBERDEYEV, I.Kh.; KLASSEN, V.I.; MILLER, E.V.

Effect of the vibration of the medium on the sedimentation of
fine-grained minerals. Izv.AN Uz.SSR. Ser.tekh.nauk no.2,79-84
'61.
(MIRA 14:3)

1. Institut gornogo dela AN SSSR i Gornyy otdel AN UzSSR.
(Sedimentation and deposition)

KLASSEN, V.I.

Reason for better floatability of glossy coal ingredients.
Koks i khim. no.7:8-9 J1 '61. (MIRA 14:9)

1. Institut gornogo dela AN SSSR.
(Flotation)

KLASSEN, V.I.; VLASOVA, N.S.

Introducing the frothing agent at the Irmino Central Coal
Preparation Plant. Biul.tekh.-ekon.inform. no.7:19-20 '61.
(MIRA 14:8)
(Irmino—Coal Preparation)

KLASSEN V.I., prof., doktor tekhn.nauk

Directions in the drastic improvement of flotation machines on
the basis of the pulp aeration theory and the mineralization of
bubbles. TSvet. met. 34 no.1:15-19 Ja '61. (MIRA 17:3)

1. Institut gornogo dela AN SSSR.

KLASSEN, V.I.; NEVSKAYA, V.A.; VLASOVA, N.S.

Use of radioactive isotopes in studying the reaction of flotation
reagents with coals. Ugol' 36 no.7:41-44 J1 '61. (MIRA 15:2)

1. Institut gornogo dela im. A.A.Skochinskogo.
(Flotation) (Radioisotopes--Industrial application)

KLASSEN, V.I.; KROKHIN, S.I.

Concentration of xanthogenate along a three-phase contact in flotation.
Dokl. AN SSSR 136 no.4:886-888 Y '61. (MIRA 14:1)

1. Predstavleno akademikom P.A. Rebinderom.
(Xanthic acid) (Flotation)

VLASOVA, Nina Sergeyevna; KLASSEN, Villi Ivanovich; PLAKSIN, Igor' Nikolayevich; KHAZHINSKAYA, G.N., otv. red.; MAKARENKO, M.G., red. izd-va; TIKHOMIROVA, S.G., tekhn. red.

[Studying the action of reagents in coal flotation] Issledovanie deistviia reagentov pri flotatsii kamenykh uglei. Moskva, Izd-vo Akad. nauk SSSR, 1962. 169 p. (MIRA 15:4)
(Flotation)

KLASSEN, V.I., doktor tekhn.nauk

Classification of reagents used in the flotation of coals. Nauch.
soob. IGD 16:19-22 '62. (MIRA 16:8)
(Flotation—Equipment and supplies)

VLASOVA, N.S., kand.tekhn.nauk; Prinimali uchastiye: KLASSEN, V.I., prof.,
doktor tekhn.nauk; STEPANOVA, Ye.N., mladshiy nauchnyy strudnik

Effect of oxidation in the flotation of easily prepared coal by
polar and nonpolar compounds. Nauch. soob. IGD 16:43-51 '62.

(Flotation) (Oxidation) (MIRA 16:8)

KLASSEN, V.I., PLAKIN, I.N.

"Methods of improving the process of froth flotation."

Report to be submitted for the 4th Intl. Coal Preparation Congress
Harrogate, Yorkshire, Great Britain 28 Mat-1 June '62.

Inst. of Mining, AS USSR

AKOPOV, M. G., kand. tekhn. nauk; DUMAIEV, M. N., inzh.; KLASSEN, V. I.,
prof., doktor tekhn. nauk; KULIK, P. P., inzh.; LITOVKO, V. I.,
kand. tekhn. nauk; MALOPEKYEVA, E. T., inzh.

Industrial testing of the preparation of coal pulp with
hydrocyclones in a water medium. Obog. i brik. ugl. no. 24:
3-10 '62. (MIRA 15:10)

(Coal preparation) (Separators(Machines))

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

KLASSEN, V.I.; KROKHIN, S.I.; TIKHONOV, S.A.

Effect of halation by a nonpolar reagent of the area of contact
of a bubble with a mineral particle on their force of adhesion in
flotation. TSvet. met. 35 no.4:9-11 Ap '62. (MIRA 15:4)
(Flotation)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

KLASSEN, V.I.; LYASKOVSKIY, Ya.T.

Effect of inorganic salts on the full jump of potential at the anthracite - aqueous solution interface. Dokl.AN SSSR 145 no.4:857-859 Ag '62. (MIRA 15:7)

1. Institut gornogo dela im. A.A.Skochinskogo i Sileskiy politekhnicheskiy institut (Pol'sha). Predstavлено akademikom P.A.Rebinderom.
(Electrodes, Carbon) (Salts) (Flotation)

PLAKSIN, I.N., otv. red.; GLEMBOTSKIY, V.A., doktor tekhn. nauk, zam.
otv. red.; KLASSEN, V.I., doktor tekhn. nauk, red.; OKOLOVICH,
A.M., kand. tekhn.nauk, red.; TRET'YEKOV, O.V., red.; BARSKIY,
L.A., kand. tekhn. nauk, red.; MAKOVSKIY, G.N., red. izd-va;
GOLUB', S.P., tekhn. red.

[Ore dressing and coal preparation in the Kazakh S.S.R.;
transactions of the out-of-town session in Balkhash and
Karaganda, of the Section on Mineral Dressing of the Learned
Council of the A.A.Skochinskii Mining Institute (November-
December 1960)] Zadachi obogashcheniya rud i uglei Kazakhskoi
SSR; trudy vyezdnoi sessii sektsii obogashcheniya poleznykh
iskopаемых Uchenogo soveta Instituta i gornogo dela im.
A.A.Skochinskogo v gorodakh Balkhashhe i Karagande, noiabr'-
dekabr' 1960 g. Moakva, Izd-vo Akad. nauk SSSR, 1962. 173 p.
(MIRA 15:10)

1. Chlen-korrespondent Akademii nauk SSSR (for Plaksin).
2. Institut gornogo dela im. A.A.Skochinskogo (for Plaksin,
Glembotskiy, Okolovich, Klassen).

(Ore dressing) (Coal preparation)

KLASSEN, Vili Ivanovich, prof., doktor tekhn. nauk; SOKOLOV, V.Ye.,
otv. red.; OKUN', R.M., red. izd-va; DERGILEVA, I.Ya.,
tekhn. red.

[Flotation of coals] Plotatsiia uglei. Moskva, Gosgortekh-
izdat, 1963. 378 p. (MIRA 16:7)
(Coal preparation)

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

VLASOVA, Nina Sergeyevna; KLASSEN, Vili Ivanovich; MAKARENKO, M.G.,
red. izd-va; UL'YANOVA, O.G., tekhn. red.

[Frothing agent, a new reagent for coal slurry flotation]
Novyi reagent dlia flotatsii kamennougol'nykh shlamov-penore-
agent. Moskva, Izd-vo AN SSSR, 1963. 36 p. (MIRA 16:7)
(Coal preparation) (Flotation)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

BELIKOV, Aleksandr Mikhaylovich[deceased]; KLASSEN, V.I., doktor
tekhn. nauk, retsenzent; BURSHTEYN, G.Ya., doktor ekon.
nauk, retsenzent; SUROVA, V.A., red.izd-va; LOMILINA, L.N.,
tekhn. red.

[Economics of coal preparation and utilization] Ekonomika
obogashcheniya i ispol'sovaniya uglei. Moskva, Gosgortekh-
izdat, 1963. 111 p. (MIRA 16:11)
(Coal preparation)

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

LYASKOVSKIY, Ya.T.; KLASSEN, V.I.

Theory of the effect of inorganic electrolytes in the salt flotation
of coals. Izv. AN SSSR. Otd. tekhn. nauk. Mat. i gor. delo no.3:
182-189 My-Je '63. (MIRA 16:7)
(Coal preparation) (Flotation)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

DIN LI-TSIN [Ting Li-ch'ing], inzh.; KLASSEN, V.I., prof., doktor tekhn.nauk

Interaction of inorganic electrolytes with coal and rock. Nauch.
soob. IGD 19:23-27 '63. (MIRA 17:2)

KLASSEN, V.I.; LYASKOVSKIY, Ya.T.

Effect of inorganic salts on the potential of the anthracite electrode and the stability of anthracite and carbon suspensions in relation to their "salt" flotation. Koll.shur. 25 no.5:
549-554 S-0 '63. (MIRA 16:10)

1. Institut gornogo dela im. A.A.Skochinskogo, Moakva.

KLASSEN, V.I., doktor tekhn.nauk; LITOVKO, V.I., kand.tekhn.nauk;
ZAREMBA, S.A., kand.tekhn.nauk; BLAGOVA, Z.S., inzh.;
DOBROKHOTOVA, I.A., inzh.; KARAMYSHEV, A.P., inzh.

Improvement of physical and mechanical properties of a magnetite
suspension by adding a peptizing agent. Obog.i brik.ugl.
no.30:50-57 '63. (MIRA 17:4)

1. Institut gornogo dela imeni Skochinskogo (for Klassen, Litovko,
Zaremba). 2. Vsesoyuznyy nauchno-issledovatel'skiy i proyektno-
konstruktorskiy institut po obogashcheniyu i briketirovaniyu
ugley (for Blagova, Dobrokhotova). 3. Obogatitel'naya fabrika
shakhty imeni Abakumova tresta Rutchenkovugol' Donetskogo basseyna
(for Karamyshev).

KLASSEN, V.I.; LITOVKO, V.I.; MIASNIKOV, N.P.

Improving the physicochemical properties of Zapposilicon
suspensions with the help of reagents. TSvet. met. 36 no.10:
17-20 O '63. (MIRA 16:12)

KLASSEN, V.I.; PIKKAT-ORDYNSKIY, G.A.; VENKOVA, M.D.; ZHENDRINSKIY, A.P.;
MATVEYENKO, N.V.; GORDETSKIY, M.I.; YEGIZAROV, A.A.;
PECHENKIN, V.V.; SERGIN, N.V.; KEPPE, G.A.; YATSENNKO, N.N.

Industrial testing of an ejector-type flotation machine for
the flotation of ores. TSvet. met. 36 no.4:7-13 Ap '63.
(MIRA 16:4)

(Flotation—Equipment and supplies)

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

BARSKIY, Lev Abramovich; KLASSEN, V.l., doktor tekhn. nauk, prof.
retsenzent
[How minerals become useful] Kak iskopemye stanoviatsia
poleznymi. Moskva, Nedra, 1964. 154 p. (MIRA 18:3)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

KLASSEN, V. I.; LITOVKO, V. I.; MYASNIKOV, N. F.

"Improvement of physical and mechanical properties of ferrosilicon suspensions
with help of reagents."

report submitted for 7th Intl Mineral Processing Cong, New York, 20-25 Sep 64.

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

PREYGERZON, Grigoriy Isaaylevich, dots., kand. tekhn. nauk; KLASSEN,
V.I., doktor tekhn. nauk, rassf., retsenzent; ARTYUSHIN,
S.P., inzh., retsenzent

[Coal preparation] Obogashchenie uglia. Moskva, Nedra,
1964. 539 p. (MIRA 17:12)

KLASSEN, V.I.; KRASNOV, G.D.

Possibility of improving ore dressing in heavy suspensions with the
help of vibration. Gor. zhur. no.10:64-66 0 '64.
(MIRA 18:1)

1. Institut gornogo dela im. A.A.Skochinskogo.

KLASSEN, V.I.; TIKHONOV, S.A.; Prinimali uchastiye: KRAYEVSKAYA, R.S.;
UFIMTSEVA, O.S.

Mechanical carrying out of pulp particles during flotation. Tsret.
met. 37 no.9:4-8 S '64.
(MIRA 18:7)

KLASSEN, V.I., prof. doktor tekhn. nauk; SICHERBAKOVA, S.V. inzh.

Improving the technological properties of water by the action of a magnetic field. Gor. zhur. no.5:58-63 My '65. (MIRA 18:5)

1. Institut gornogo dela im. A.A.Skochinskogo.

L 65105-65 EMP(a)/EMP(b)/EMP(t)/EMP(k)/EMP(z)/EMP(b) IJP(a) JD
ACCESSION NR: AP5021976 UR/0286/65/000/014/0038/0038
669.167.24

AUTHOR: Dikhanov, N. M.; Boytsov, L. I.; Zel'din, V. S.; Klassen, V. I.; Kurenkov,
I. I.; Plaksin, I. N.; Runov, M. A.; Silayev, A. F.; Snezhko, P. I.

TITLE: A method for producing dispersed ferrosilicon powder. Class 18,
No. 172853 35
5

SOURCE: Byulleten' izobretens i tovarnykh znakov, no. 14, 1965, 38

TOPIC TAGS: powder metal production, silicon alloy, iron alloy

ABSTRACT: This Author's Certificate introduces a method for producing dispersed ferrosilicon powder with a particle size of no more than 100 microns by vaporizing the molten material using hot or cold air. The yield of fine particles is increased and spherical grains are produced by heating the melt in the 1550-1650°C range and passing it through a silicified sleeve with a calibrated opening which guarantees a constant flow of metal. The melt is then sprayed and the particles are separated according to size.

ASSOCIATION: none

SUBMITTED: 19Oct63

ENCL: 00

SUB CODE: MM

NO REF Sov: 000

OTHER: 000

Card 1/172853

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

KLASSEN, V.I.; MATVEYEV, ...I.

Utilization of the gas liberated from a solution in the grinding-classification cycle. TSvet.met. 38 no.3:5-7 Mr '65.

(MIRA 18:6)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

KLASSEN, V.I., doktor tekhn.nauk; LITOVKO, V.I., kand.tekhn.nauk; BLAOOVA,
Z.S., inzh.

Effect of sodium phosphates on the technological properties of
a magnetite suspension. Ugol' 40 no.3:63-65 Mr '65.
(MIRA 18:4)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

KLASSEN, V. I. (Prof, Dr. Ing.); KROKHIN, S. I. (B.Sc.)

"Contribution to the study of the mode of action of flotation reagents."

report submitted for 6th Intl Mineral Processing Cong, Cannes, 26 May-2 Jun 63.

[Klassen - Chief of Ore-Dressing Lab, A. A. Skochinskiy Mining Inst, Moscow]

[Krokhin - Asst Lecturer, Holder of Chair for Ore-Dressing, Inst Mining & Metallurgy of the Northern Caucasus]

L 14496-66 ENT(1) IJP(c) WW/CG
ACC NR: AP6004200

SOURCE CODE: UR/0069/66/028/001/0153/0155

AUTHORS: Bruns, S. A.; Klassen, V. I.; Kon'shina, A. K.

ORG: Mining Institute im. Skochinskii, Moscow (Institut gornogo dela)

TITLE: Change of the extinction of light by water after subjecting the latter to the action of magnetic fields

SOURCE: Kolloidnyy zhurnal, v. 28, no. 1, 1966, 153-155

TOPIC TAGS: water, magnetic field, light absorption

ABSTRACT: The effect of alternating magnetic fields on the light transmittance of water was studied. Distilled water (specific conductance 2×10^{-3} mho) was passed through a glass tube 610 mm long and 6 mm in diameter. The flow rate of the water was 0.6 m/sec, and 9 electromagnets were arranged along the tube. The currents through the magnets were so arranged that adjacent magnets generated fields opposite to each other. These currents could be varied from 0-4.5 amp, permitting a variation of the magnetic field from 0-1500 oersteds. Ten minutes after the water was subjected to the magnetic field, its light transmittance was determined as a function of the magnetic field strength and wavelength of the incident light. The experimental results are presented graphically in Fig. 1. It was found that the magnetic field changed the light transmittance of water by 30% and that the change was a periodic function of the

Card 1/2

UDC: 541.183.3

L 14496-66

ACC NR: AP6004200

O




Fig. 1. Influence of the magnetic field strength on the light absorption of water

Current strength in the electromagnets, amp

field strength. The maximum in the absorption curve occurred at one and the same wavelength and was independent of the magnetic field strength. It is suggested that the observed phenomena are due to some structural changes in the water. Orig. art. has: 2 graphs... [ok]

SUB CODE: 07/ SUBM DATE: 29Jul63/ ORIG REV: 008/ ATD PRESS: 4/97
Card 2/2 G.C.

1 22706-66 BT(1)/BT(n)/PP(n)-2/MP(t)/KTC(n)-6 ACC NR. AF6009426

LIP(n) JUN/66 SOURCE CODE: UR/0020/66/166/006/1383/1385

33

32

(3)

AUTHOR: Klassen, V. I.

ORG: none

TITLE: Change in the wettability of solids by water after the action
of a magnetic field on the water

SOURCE: AN SSSR. Doklady, v. 166, no. 6, 1966, 1383-1385

TOPIC TAGS: magnetic effect, flotation, mineral, water

ABSTRACT: The article describes experiments which establish that after the passage of water through a magnetic field of an optimum intensity, the water wets solid surfaces with difficulty. This effect subsists for quite a long period of time, falling away gradually in the course of several hours or days. The magnetic treatment proves to be effective in the flow of water through magnetic fields of alternating polarity. The larger the number of such fields, the lower may be their intensity. On passing water through 6 to 8 fields formed by adjacent electromagnets, the sufficient intensity of the magnetic field did not exceed 103 oersteds. There is an optimum flow rate of the water with respect to the magnetic fields. This rate increases with an increase in the number of fields and their total intensity, and varies from 0.1 to 2

JDC: 5111532.6

Card 1/2

IUGNINA, I.G., kand. tekhn. nauk; ZAKHAROV, V.P., inzh.; KLASSEN, V.K., inzh.

Causes of the appearance of clinker dust. TSement 30 no.3:11-12
My-Je '64. (MIRA 17:11)

1. Kazakhskiy tekhnologicheskly institut i Chimkentskiy tsementnyy
zavod.

CP

2

The effect of water on the rigidity of rock salt. N. N. Datinenkov and M. V. Klasson-Nyguenova. J. Russ. Phys. Chem. Soc. (U. S. S. R.) 12, No. A 4, 412 (1900).
The method of estimation of Krasnoukh, although sufficiently sensitive, failed to show any difference between the hardness of dry rock salt and rock salt that was previously softened. This is contrary to the work of Schmid and Vaneel (C. R. 24, 2181). The investigation of a sample carefully protected from dissolving, showed that the water does not penetrate into the crystal. It has a superficial effect only on the rigidity of the dry surface. The solidity called forth by the skin of the surface disappears immediately when the specimen is dried. The limiting elasticity coincides with that of dry rock salt.

M. C.

(A) 2
Mechanical properties of rock salt crystals. N. N. Davidov and M. V. Kiselev-Nekrasova. Pis'ma J. Sverkhanova 6, 26-43 (1983).—The increased mech. strength of a salt crystal in water is due to a surface and not to a vol. effect. The increased tensile strength vanishes when the crystals are dried in air. The elastic limit in water, as measured by polarized light, is the same as that of the dry crystal. A R 4

Ca


2


The effect of the oxidation by an acid of the surfaces of
monocrystalline and single crystals on their mechanical
properties. M. J. Poynter and J. W. Poynter. *Trans. Phys. U. S.*
5, 2, 1, 1957-1958 (in English). The effect of polishing
single crystals of Cu and Zn to very smooth, to cover every
surface defect which passes stress waves, was investigated.
Cu single crystals with a slip plane 81° to the axis of pull
when pulled in 20-40% HNO₃ showed an av. increase in
tensile strength of 1-2% and an av. increase in elongation
at 100% over crystals polished in air. The fact that pre-
liminary scratching and pulling in air produced no appreciable
improvement showed that surface defects existing before
deformation starts do not appreciably affect the mech.
properties. Zn crystals showed no increase in mech.
properties in either 20-40% HCl or HNO₃. Scratches on
the surface of the Zn crystal did not consistently affect the
location of the fracture. James W. Poynter

ABE-SLA METALLURGICAL LITERATURE CLASSIFICATION

8-3-20-3492

27
The Effect of Dissolving the Surface of the Test-Piece in Acids on the Mechanical Properties of Single Crystals of Bismuth and Zinc. M. V. Khavin, Neflinina (Zav. *Eksp. i Teor. Fiziki i Kif. Akad. Nauk SSSR*, 1956, 6, (10, 11), 1207-1214 (in Russian); and *Zashch. T. A. N. R.*, 1956, 6, 427-428 (in English).--The effect on mechanical properties of etching away the surface of the test piece while under tension, in order to remove surface defects which might cause stress concentrations, was studied. In the case of single crystals of bismuth, dissolution of the surface of the test piece in 20% sulfuric acid during the deformation process results in an increase in the tensile strength of 60-270%, and in the elongation of up to 100%. Preliminary dissolution before stretching in air did not cause a change in the mechanical properties, thus showing that defects existing before deformation do not appreciably affect the properties. The etching of zinc in hydrochloric and nitric acids during extension did not lead to an increase in the mechanical properties. No effect of artificially produced scratches on the location of the fracture in the case of zinc single crystals could be observed. -X. A.






*1. Abrasives***C**

Mechanical properties of cornelian crystals. M. V. KRAMER. *Nauk SSSR, J. Tekh. Fiz.* (USSR), 12, 819-81 (1946); *Chem. Abstracts*, 38 [21] 8716 (1944). — The flexural strength was determined on prismatic plates of a rectangular section of about 1.5 x 2.8 mm and 16 to 20 mm long. Measurements were made on five types of plates cut as follows: Types 1 and 2 were cut parallel to the base plane (001), i.e., perpendicular to the optical axis L_3 . Type 1: the length is parallel to the symmetry plane P , the width coincides with the binary axis L^1 , and the thickness with the axis L_2 . Type 2: the length coincides with L^1 , the width is parallel to P , and the thickness to L_2 . Types 3 and 4 were cut perpendicular to the base plane (001), i.e., parallel to the main axis L_2 . In type 3 the length was parallel to L_2 , the width parallel to P , and the thickness parallel to L^1 . In type 4 the length coincided with L_2 , the width with the direction of one of the binary axes, and the thickness with P . Type 5: the length is parallel to P , the width to L_2 , and the thickness to L^1 . Breakage on bending will consequently occur as follows: with type 1 along the prism plane (1010); with type 2 along (1210); with types 3 and 4 along the base plane (0001); and with type 5 along (1010). The mean values of the strength on bending were found to be, respectively, (1) 3112; (2) 3020; (3) 7110; (4) 1125 kg./sq. cm. Annealing at temperatures of 1400° to 1600°, hr.

brought by slow cooling down to room temperature, tends to increase the strength. No worth-while change of inner stress is brought about through annealing at about 1000° to 1100°. Cleavage occurs preferentially along the rhombohedral planes (1010).



M.

THE DEVELOPMENT OF MODERN THEORETICAL CONCEPTIONS OF THE NATURE OF PLASTIC
DEFORMATION. M. V. KLASSEN, N. KLYUDOVA AND T. A. KONTOHOVA
(USP: KH. FIZ. NAUK, 1944, 26, (2), 217-287).--(In Russian) A review. MA.

AIA-114. METALLURGICAL LITERATURE CLASSIFICATION

Investigation of the possibility of obtaining strong composite materials from glass fibers. I. The properties and mechanical properties of the sheet material. A. E. Derry, M. V. Karpov, V. V. Gerasimov, O. A. Andreevskaya, N. N. Tsvetkov, V. V. Vasil'ev, and M. A. Chugayeva [last. Cited in USSR Inventor's Certificate No. 11,446,745, Publ. No. 10,700, Publ. Date 10.12.1963]. Z., 748, Page. (U.S.S.R.), 18, 637-94 (1963).—Glass fibers were woven on a frame and subsequently impregnated with a bleached rosin. After the combination of the fibers formed was cut parallel to the axis of the frame, and a sheet was obtained which was, e.g., 50 mm. long, 30 mm. wide, and 0.15 mm. thick. The glass contained 50% SiO₂, 17.5% CaO, 9.2% MgO, 0.4%, and P₂O₅ 0.07%. The ultimate tensile strength P of the sheet increased linearly with $1/d$, d being the diam. of the fibers. When $d = 13 \mu$ P was 100 kg./mm.² and fibers of 12 μ d were used in the majority of the experiments. Among the binders phenol-formaldehyde and bitumen were two brittle acrylic resins did not adhere to glass, however gave low P values. Urethane, polyvinyl resins, and a polyacrylic resin obtained as by-product of acrylic acid yielded the highest P values, viz. 90 (for 50% of glass), 200 (for 77% of glass), and 93 kg./mm.² (for 45% of glass). Strength constg. 20-25% glass had an P of 40-50 kg./mm.² It increases linearly with the vol. % of glass in the sheet. Otherwise, sheets have the best elasticity and sheets impregnated with bitumen the worst. Fibers of the polyvinyl rosin had an P of 18 and 75 kg./mm.² for $d = 1$ and 2 μ , resp. II. Poly-glass and glass sheet. And, etc.—The bonded sheets can be placed together, the fibers being either parallel or crossed. A highly bonded sheet with gelatin had an P of 40, and a 3 mm.

sheet bonded with glyptal rosin, an P of 70 kg./mm.² Breaking stress at rupture was, e.g., 60-70 kg./mm.² for polyvinyl-bitumen bonds. Crushing strength of a cube impregnated with polyvinyl rosin was 20-30 kg./mm.². The Young modulus of glass filaments was 4000, of sheets with 40% gelatin 3100, of sheets with 20% gelatin 400 kg./mm.². Also the modulus of rigidity increased with the glass content. Rigidity constg. 25% of glass filaments and 10% polyvinyl resin or bitumen can be substituted for steel wire in fiber concrete of the Pretyakov type. The total elongation of the sheets was 2-4%. J. J. B.

The Characteristics of Crystal Disintegration. (In Russ.) N. V. Belov and M. V. Krasner-Neklyudova. Zhurnal Tekhnicheskoy Fiziki (Journal of Technical Physics), v. 18, Mar. 1942, p. 268-276.

valuation B-78945

U.S. METALLURGICAL LITERATURE CLASSIFICATION

卷之三

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

KLASSEN-MEKLYDOVA, M. V.

PA 55/49786

USSR/Physics
Crystals

Dec 48

"The Actual Construction of Rochelle Salt Crystals,
M. V. Klassen-Meklydova, N. A. Chernysheva, A. A.
Sternberg, Inst of Cryst, Acad Sci USSR, 3 1/3 pp

"Dok Ak Nauk SSSR" Vol LXXXI, No 5

In research on mechanical properties of Rochelle
salt crystals, definite anisotropy of elastic
properties and complete absence of anisotropic
stability were observed. Submitted by Acad A. F.
Ioffe 7 Oct 48.

55/49786

C.A.
1951

Electronic Phenomena

3

Effect of supersonic waves on the distribution of stress in a single crystal of a solid solution of thallium bromide and iodide. M. V. Klaaren, Neklyudova and A. P. Kapustin (Avtod. Pet. U.S.S.R., Moscow). Doklady Akad. Nauk S.S.R. 77, 1019-21 (1951). In a crystal of rubic TlBr + TlI, known for its very high photoelasticity (Neklyudova and Kirin, C.I. 43, 672/4), grown by slow cooling so as to have distinct residual stresses visible between crossed polaroids, application of a supersonic field of 73 kilobar/sec. of sufficient intensity, along the crystal axis, resulted in a disappearance of the birefringence, with the whole crystal becoming more or less uniformly transparent, and the stress pattern \rightarrow \oplus . At discrete regimes, fluctuating during the exposure on removal of the field, the original pattern is restored in from less than 1 to 25-30 sec., depending on the length of the exposure. The effect is evidently due to residual stresses produced by the supersonic field. Small variations in the supersonic vibrations of the quartz generator give rise to an instantaneous change of the stress pattern. This effect opens the possibility of using TlBr + TlI as an indicator of the resonance stability of a supersonic generator system.

~~SECRET~~

Physical Properties of Synthetic Corundum
Proceedings of the Conference on Synthetic Corundum, Edited by A.

M. V. KLAZHE-NIKULINA, and S. V. GOREV,
Gor'kiy, No. 8, 1950.

The temperature was held in 1950 in the corundum industry a complete survey of results of scientific investigations, especially of physical and mechanical properties. The boule has become an accurate knowledge of crystallization conditions is the basis of every working process. The physical and structural properties of real corundum are emphasized. The instruments used for the investigations are partly newly constructed and may be particularly recommended for studies of the physical properties of mineral crystals other than those of synthetic corundum. References are given with each paper. Results of laboratory research on different properties of synthetic corundum crystals. S. V. GOREV and M. V. KLAZHE-NIKULINA, *Ibid.*, pp. 1-12. The influence of impurities, e.g., Cr₂O₃, MgO, SiO₂, Fe₂O₃, TiO₂, CaO, MnO, and CuO, is discussed. Basic facts of the crystallography and structure of corundum crystals. E. S. RUMYANTSEVA, *Ibid.*, pp. 13-20. Thermal constants of Al₂O₃. I. T. CHENTSOVA, *Ibid.*, pp. 21-20. Thermochemical data are compiled. Properties of immersible mixes of Al₂O₃ and TiO₂. S. V. GOREV and M. V. KLAZHE-NIKULINA, *Ibid.*, pp. 27-34. The dimensions of the elementary cells and the fusion points of the crystalline solutions are given, together with data on densities and refractive indices, absorption spectra, and pleochroic phenomena.

Densities of synthetic corundum, especially the effects of crystalline solutions with Cr₂O₃. L. N. SLAVENSKAIA and I. N. SHCHITIN, *Ibid.*, pp. 35-47. Short review of the electrical properties of corundum. M. S. KARABELOV, *Ibid.*, pp. 41-42. Conductance as a function of temperature, the effect of impurities and the resistance of ceramic components to the action of the current of rubies. V. V. FEDOROV, *Ibid.*, pp. 43-46. Additional data are given on the interaction of electric currents with the corundum traits. S. H. GOREV, *Ibid.*, pp. 47-50. Special effects of small additions of Cr and Mg in the formation of corundum from synthetic corundum traits. S. H. GOREV, *Ibid.*, pp. 51-54. The losses in CrAl from the batch to the powder and the finished ruby composition are discussed. Data on spectral analysis of corundum. B. V. GOREV-GUMENYUK, *Ibid.*, pp. 55-60. Domestic synthetic sapphires are compared with foreign products. The Russian samples are purer, containing less Fe, Cu, and Ca; foreign synthetic corundum products often contain Ti and V, and two samples showed Na. Only Cr and Mn are higher in domestic corundum products than in the foreign material. Measurement of the refractive indices of synthetic corundum and of corundum batches. N. M. MELNIKOV, *Ibid.*, pp. 57-60. The ion emission method of I. V. Olsuf'ev 1919 for the determination of very small changes in refractive index is described. Problems of the heating of corundum batches. P. I. LAFANOV, A. A. KISLEV, and L. A. LIVSHITZ, *Ibid.*, pp. 77-80. Special studies were made on the transition of γ -Al₂O₃ formed from alumina to corundum with increasing temperature and time of heat exposure.

GVLF

KLASSEN-KHILYUDOVA, N.V.

Optical control in the study of the mechanical properties of synthetic
corundum. Trudy Inst.krist.no.8:151-164 '53. (MLRA 7:5)
(Corundum) (Deformations (Mechanics))

KLASSEN-NIKLYUDOVA, M. V., and TOMILOVSKIY, G. YE.

"Bending and Compression Tests of Corundum Crystals With Respect to Crystallographic Orientation,"
Tr. in-ta kristallogr. AM SSSR, No 8, pp 215-224, 1953

The method of preparation of oriented specimens and the way of determination of the optical axis of the crystal by means of asterism using a konoscope is described. The bending test was carried out on prismatic crystalline lattices and the compression on cubes. It was established that the bending strength of corundum particularly depends on the direction of the crystalline axis. (RZhFiz, No 4, 1955)

SO: Sum, No 606, 5 Aug 55

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

KLASSEN-NEKLYUDOVА, M.V.

KLASSEN-NEKLYUDOVА, M.V.; IKONNIKOVА, I.Yu.; TOMILOVSKIY, G.Ye.

Plastic deformation of synthetic corundum crystals. Trudy Inst.
krist. no.8:237-246 '53. (MLRA 7:5)
(Corundum) (Deformations (Mechanics))

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

~~KLASSEN-NERLYUDOVA, M.Y.~~

~~KLASSEN-NERLYUDOVA, M.V.; IKONNIKOVA, N.Yu.; TOMILOVSKIY, G.Ye.~~

Comparative study of the strength of synthetic corundum of various
origin and investigation of the effects of mixtures on strength.
Trudy Inst.krist. no.8:273-282 '53. (MERA 7:5)
(Corundum) (Strength of materials)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

KLASSEN-NEKLYUDOV, M. V.

USSR/Physics - Crystallography, Deformation 1 Aug 53

"Complex Manifestation of Plastic Deformation of Single-Crystals," A. B. Zemtsov, M. V. Klassen-Neklyudova and A. A. Urusovskaya, Inst of Crystallography of Acad Sci USSR

DAN SSSR, Vol 91, No 4, pp 813-816

Special phenomena occurring at fast compression of solid solution of thallium bromide and Tl iodide were revealed by Zemtsov. Plastic deformation was followed by peculiar shifts within the single-crystal depending

272789

on direction of compression. Results are shown on photographs and schematic diagrams. Presented by Acad A. P. Ioffe 13 Jun 53.

USSR/Engineering - Machine Study

FD-1455

Card 1/1 : Pub. 41-9/17

Author : Klassen-Neklyudova, M. V., Moscow

Title : Plastic deformation of metals at static load and normal temperature

Periodical : Izv. AN SSSR. Otd. tekhn. nauk 7, 87-96, Jul 54

Abstract : Discusses, with frequent recourse to references, mechanism of plastic deformation of metals at static load and normal temperature and describes methods by which plastic deformation of grains and of single crystals can occur, including slips and nonsymmetric reorientation of lattice. Diagrams; roentgenograms; photomicrographs. Twenty-two references.

Institution :

Submitted : July 1, 1954

M. V. KLASSEN-NEKLYUDOV

The dislocation hypothesis of plasticity. M. V. Klassen-
Neklyudova and T. A. Kosterova. Usp. fiz. nauk. 88(1969),
No. 1, 143-81(1967). THE "theory" of plasticity based

on the conception of lattice dislocations is criticized, because
it leads to contradictions with expt. It is indicated that
the more nearly perfect the crystal structure is, the lower
will be the elastic limit and the more pronounced the tend-
ency for plastic flow. The theory of Prekel and Kosterova
(C.A. 53, 4820; 54, 2149) which introduces "dynamic"
dislocations appearing during the flow, as opposed to
"static" dislocations present at the start, and the theory of
Stepanov (Zhur. fiz. i. Teor. fiz. 19, 493(1949); 20,
1194(1950)) attributing plastic deformation to the regular
lattice are briefly discussed. S. Pakser

Open work figures from page 10
11. 1600 hr. at present time
showed that open-work figures in crystals of KMS-4
crystals (TII + TIII) are formed as a result of deformation
along the (110) plane in the [100] direction. The directions
of low and high temp. on these figures were almost
the same. At high temp. for KMS-8 crystals the direction of the lines
means the same. A study of open-work figures for KMS-8
crystals showed that their formation is sensitive to the
difference in crystals with the same basic type of bond and
the same lattice but made up of different atoms.

J. Kostylev

KT

~~CONFIDENTIAL~~
Author, J. M. V. A. Mackay, ~~REVIEWED BY~~ [unclear]
Soviet Inst. Cryst. Research, USSR Academy of Sciences, Moscow). Article
in Sov. Phys. Kristallogr., 1971, 16(1), 101-71 (1976).—Kink-bands with different
topology were examined. In 3 specimens of
TIB₂Ti crystals, full correspondence was found between
the optical pictures of the structures of the kink-bands and
the forms of the Laue spots; the bands are a combination of
regions turned around relative to each other about [110]
directions. The layers of the kink are developed in
directions perpendicular to the slip planes. The gradualness of kink
formation was studied. Kink formation is not always
accompanied by slipping but may be due to unsym. rotations
of the lattice. A. I. Mackay

A. I. Mackay

PM m

Klassen-Neklyudova, M.V.

USSR/Solid State Physics - Mechanical Properties of Crystals and Polycrystalline Compounds. E-10

Abs Jour : Referat Zhur - Fizika, No 5, 1957, 11900

Author : Klassen-Neklyudova, M.V., Urusovskaya, A.A.

Inst : Institute of Crystallography, Academy of Sciences, USSR.

Title : Influence of Inhomogeneous Stressed State on the Mechanism of Plastic Deformation of Thallium and Cesium Halogenides.

Orig Pub : Kristallografiya, 1956, 1, No 4, 410-418

Abstract : An investigation was made of the conditions under which reoriented regions (faults) occur during the process of plastic deformation in single crystals of the halogenides of Tl and Cs. It is shown that the plastic deformation is effected by means of faults in the case when there occurs a complicated stressed state, characterizing the presence of macro-bending moments. In addition, it is

Card 1/2

'USSR/Solid State Physics - Mechanical Properties of Crystals
and Polycrystalline Compounds. E-10

Abs Jour : Ref Zhur - Fizika, No 5, 1957, 11900

necessary that the crystallographic axes be oriented in a
definite manner with respect to the axes of deformation
of a specimen, so that the orientation of the specimen
makes the slip deformation difficult.

Card 2/2

KLASSEN-NIKOLAEVA, M.V.

414. PLASTIC DEFORMATION OF CRYSTALS CAUSED BY
ROTATION OF THE LATTICE WITHOUT FORMATION OF SLIP
LINSK, M.V.Klassen-Nikolaeva and A.A.Utkin-Maya
Kristallografiya, Vol. 2, No. 1, 1947 (1947). In Russian.
It is shown that slip bands in the lattice lattice (Amer. 8274:1337)
may be produced by rotation of the lattice without the accompaniment
of linear slip.

14 530.374 : 030 2

1-4E3D
1-4E3C
1-4E4B

NS

1/60

KIASSER-NEKLYUDOV, M. V., INDEINICH, V. L., URUSOVSKAYA, A. A., TCHITOVSKIY, G. Ye.

Institute of Crystallography of Acad. Sci., USSR, Moscow.

"Comparison of Deformed Crystals with Etch-Pattern Distributions."
Paper submitted at

Program of the Conference on the Non-Metallic Solids of Mechanical Properties. Lenigrad
May 19 - 26, 1958.

PHASE I BOOK EXPLOITATION SOV/5675

Klassen-Neklyudova, Marina Viktorovna

Mekhanicheskoye dvoynikovaniye kristallov (Mechanical Twinning of Crystals) Moscow, Izd-vo AN SSSR, 1960. 261 p. Errata slip inserted. 3000 copies printed.

Sponsoring Agency: Akademiya nauk SSSR. Institut kristallografii.

Resp. Ed.: I. V. Obreimov, Academician; Ed. of Publishing House: Ye. L. Starokadomskaya; Tech. Ed.: G. N. Shevchenko and V. V. Bruzgul'.

PURPOSE : This book is intended for physicists, metal scientists, crystallographers, mineralogists, and geologists.

COVERAGE: The book contains experimental data on the reorientation of crystal lattices by twinning. Rules of the twinning process are reviewed and the physical nature of the deformation and the disintegration of metals, minerals, rocks, and crystals is

Card 1A
3

Mechanical Twinning of Crystals**SOV/5675**

Indenbom, Ye. V. Tsinzerling, and V. P. Konstantinova [the latter the Institut kristallografi - Institute of Crystallography] are discussed in the foreword and supplement. The author thanks V. L. Indenbom, G. Ye. Tomilovskiy, M. A. Chernysheva, and K. V. Flint. There are 438 references: 225 English, 146 Soviet, 60 German, and 7 French.

TABLE OF CONTENTS:

Foreword	3
Introduction	9
PART I. EXPERIMENTAL DATA ON MECHANICAL TWINNING	
Ch. I. Twinning With a Change in Crystal Form	12
1. Geometry. Crystallography. Relation to atomic structure	12
1. Ideal schematic diagrams of the translation slip and of twinning with a change in form	12
Card 3/14	

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

KLASSEN-KLYUDOV, N.V. (Moskva)

Physical bases of the plasticity and strength of crystals. Itogi
nauki: Fiz.-mat. nauki 3:5-11 '60. (MIRA 13:7)
(Crystals) (Plasticity)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

KLASSEN-MEDYDOVA, M.V.; CHERNYSHIEVA, N.A.; TOMILOVSKIY, G.Ye.

On the process of kink formation. Kristallografiia 5 no.4:646-649
Jl-Ag '60. (MIRA 13:9)

1. Institut kristallografiia AN SSSR.
(Cesium iodide) (Naphthalene crystals)

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

KLASSEN-NIKLYUDOVA, N.V.; URUSOVSKAYA, A.A.

Deformation of rock salt crystals at elevated temperatures.
Kristallografia 5 no.5:744-748 S-O'60. (MIRA 13:10)

1. Institut kristallografi AN SSSR.
(Rock salt crystals) (Deformations (Mechanics))

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

KLASSEI-MEKLYUDOV, M.V.; ORLOV, A.N.; MIUSKOV, V.P.; TYAPUNINA, N.A.;
SHASKOL'SKAYA, H.P.

Symposium on dislocations in and mechanical properties of solids,
held in Cambridge (England). Kristallografiia 6 no.5:809-812
S-O '61. (MIRA 14:10)

1. Institut kristallografiia AN SSSR.
(Dislocations in crystals—Congresses)

KLASSEN-NEKLYUDOVA, M.V., red.; BELYANOVSKAYA, L.N., tekhn. red.

[Stresses and dislocations in semiconductors] Napriazheniya i dislokatsii v poluprovodnikakh; sbornik statei. Pod red. M.V. Klassen-Nikliudovoi. Moskva, 1962. 66 p. (MIRA 16:2)

1. Akademiya nauk SSSR. Institut kristallografi. (Semiconductors)

S/070/62/007/004/001/016
E132/E435

AUTHORS: Klassen-Neklyudova, M.V., Rozhanskiy, V.N.

TITLE: Basic tasks in the physics of the rigidity and plasticity of crystals

PERIODICAL: Kristallografiya, v.7, no.4, 1962, 499-506 + 1 plate

TEXT: Review article discussing recent work on the mechanical properties of crystals and its importance in explaining the characteristics of real materials. The scope for improving mechanical properties is indicated as is the importance of the subject from the point of view of producing new materials. It is hoped that Nauchnyy sovet po problemam fiziki tverdogo tela (Scientific Council for Solid State Physics), created by the Akademiya nauk SSSR (Academy of Sciences USSR), would coordinate in this field. Foreign literature, in translation, on this subject should be more widely circulated. Several universities are extending their courses on the mechanical properties of crystals and the main task is to produce a detailed theory explaining the actual properties of real crystals. A list of regions in which there is scope for more practical and theoretical

Card 1/2

URUSOVSKAYA, A.A.; TYAAGARADZHAN, R.; KLAESSEN-NEKLYUDOVA, M.V.

Dislocation structure of PbS crystals in the region of concentrated leadings. Kristallografiia 8 no.4:625-631 Jl-Ag '63. (MIRA 16:9)

1. Institut kristallografi AN SSSR.
(Dislocations in crystals) (Lead sulfide)

URUSOVSKAYA, A. A.; KLASSEN-MEKLYUDOVA, M. V.

"Investigation of dislocation structure of crystals of PbS."

Report presented at the 6th International Congress and Symposia,
International Union of Crystallography, Rome, Italy, 9-15 Sept.
1963.

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6

URUSOVSKAYA, A.A.; TYAAGARADZHAN, R.; KLASSEN-NEKLYUDOVA, M.V.

Formation of punching figures in galenite. Kristallografiia
8 no.6:929-932 N-D'63. (MIRA 17:2)

1. Institut kristallografiia AN SSSR.

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000723010002-6"

TYAADARADZHAN, R.; URUSOVSKAYA, A. A.; KLASSEN-NEKLUDOVA, M. V.

"Investigation of dislocation structure of crystals of PbS."

report submitted for 6th Gen Assembly, Intl Union of Crystallography, Rome,
9 Sep 63.

Inst Crystallography, AS USSR, Moscow.